

XH610G2

SLIM PC



PROCESSOR	Supports Intel® 12th/13th/14th Core® i3/i5/i7/i9 series, Pentium, and Celeron® LGA 1700 65W processors	
MEMORY	2 x SODIMM DDR5 5600 MHz, Supports dual channel up to 64GB (32GB x 2)	
VIDEO GRAPHICS	Intel UHD Graphics	
VIDEO OUTPUT	HDMI 2.0b x 2 + DisplayPort Supports triple independent displays	
AUDIO	Realtek ALC888S, HD audio	
ETHERNET	Intel Gigabit LAN x 1 (10/100/1000 Mb/s) Intel 2.5 GbE LAN x 1 (10/100/1000/2500 Mb/s)	Supports Wake on LAN function
STORAGE INTERFACE	SATA 6 GB/s	
ONBOARD CONNECTORS	Raiser card slot 4 pin fan connectors SATA connector	
FRONT PANEL	(1) Power Button (1) Power LED (1) HDD LED (2) USB 2.0	(2) USB 3.2 Gen 1 (1) MIC-in (1) Line-Out
BACK PANEL	(2) HDMI (1) DisplayPort (2) USB 3.2 Gen 1 (2) USB 2.0	(1) DC-in (2) RJ45 Gigabit LAN (2.5 GbE LAN x 1, Gigabit LAN x 1) (2) Antenna holes
DRIVE BAYS	(1) 2.5" HDD/SSD bay	
DIMENSIONS	9.8 (L) x 7.9 (W) x 3.7 (H) inches	
POWER	Input: 100 - 240V AC Output: 19.5V/9.23A DC	180W power supply
ACCESSORIES	Quick Guide Screw package Power adapter Power cord	Driver DVD VESA bracket with screws WLN-M (optional WLAN & Bluetooth kit) WWN03 (optional LTE/4G kit)
EXPANSION SLOT	(1) M.2 2280 M key slot (NVMe + SATA) (1) M.2 2280 M key slot (SATA only) (1) M.2 2230 E key socket (PCIe Gen 3x1, USB 2.0, CNVi) (1) PCI-E X16	
OPERATING TEMPERATURE	0°C to 50°C	
OS SUPPORT	Windows 11 64 bit, Linux (64 bit)	
CERTIFICATION	Safety: CB, BSMI, cTUVus	EMI: FCC, CE, BSMI, RCM, VCCI, UKCA

For more information on all products, please contact us at sales@us.shuttle.com or 626.820.9000

© 2024 Shuttle Computer Group, Inc. All rights reserved. Specifications are subject to change without notice. Not responsible for any photographic or typographic errors. Photos shown may vary from actual look. Intel, the Intel logo, and Intel Core are trademarks of Intel Corporation or its subsidiaries in the US and/or other countries. ©Intel Corporation

XH610G2


SLIM PC

Front View



- | | |
|---------------------|-------------------------------------|
| 1 USB 2.0 ports x 2 | 4 Headphone output |
| 2 USB 3.2 Gen 1 x 2 | 5 Power on button with LED |
| 3 Microphone input | 6 LED indicator for hard disk drive |

Back View



- | | |
|-------------------------------------|--|
| A WLAN antenna hole x 2 | H USB 3.2 Gen 1 port x 2 |
| B Kensington Lock | I PCI-E X1 expansion slot |
| C Perforation for optional COM port | J PCI-E X16 expansion slot |
| D HDMI 2.0b port (video/audio) x 2 | K USB 2.0 ports x 2 |
| E DisplayPort | L DC-in |
| F 2.5 GbE LAN port | M 4-pin connector for external power button, Clear CMOS & Power Button |
| G Gigabit LAN port | |

For more information on all products, please contact us at sales@us.shuttle.com or 626.820.9000

© 2024 Shuttle Computer Group, Inc. All rights reserved. Specifications are subject to change without notice. Not responsible for any photographic or typographic errors. Photos shown may vary from actual look. Intel, the Intel logo, and Intel Core are trademarks of Intel Corporation or its subsidiaries in the US and/or other countries. ©Intel Corporation

XH610G2

SLIM PC

**SUPPORTS INTEL® 12TH/13TH/14TH GENERATION PROCESSORS**

Equipped with a LGA1700 socket, the XH610G2 supports Intel® Celeron®, Pentium® and Core™ i3/i5/i7/i9 65W processors. Integrated Ultra HD graphics and supports up to 64GB (32GB x 2) of DDR5-5600 memory.

**DUAL PCI-E SLOT**

Expansion options like various add-on cards such as a video capture card or discrete graphic cards, suitable for demands of modern business such as image recognition, 3D video creation, or data processing.

*Maximum size supported for cards is 208.5 x 120 x 45 mm

**TRIPLE DISPLAY****SUPPORTS TRIPLE DISPLAY**

Connectivity to three independent displays are supported, suitable for delivering high-quality 2D and 3D video showcases. Additionally, triple-screen splicing is supported for TV walls via the Intel® Graphics Command Center.

**M.2****M.2 EXPANSION SLOTS**

The XH610G2 is equipped with two M.2 slots (M.2 2280 Type M) to expand the storage or device. One M.2 2230 Type E slot is for installing Wi-Fi or Bluetooth modules for higher transmission bandwidth.

**NONSTOP****24/7 CERTIFIED**

Approved for 24/7 operation, the XH610G2 uses industrial capacitors in order to meet the environmental operation demands of commercial applications.*

*For high ambient temperatures over 40°C, SSDs are recommended

For more information on all products, please contact us at sales@us.shuttle.com or 626.820.9000

© 2024 Shuttle Computer Group, Inc. All rights reserved. Specifications are subject to change without notice. Not responsible for any photographic or typographic errors. Photos shown may vary from actual look. Intel, the Intel logo, and Intel Core are trademarks of Intel Corporation or its subsidiaries in the US and/or other countries. ©Intel Corporation